




Marco coplanar
Ref: 4602




Hoja coplanar
Ref: 4605




Marco fijo
Ref: 4621




Hoja coplanar apert. exterior
Ref: 4615






Solape 30 mm
Ref: 4130




Solape 50 mm
Ref: 4150




Solape 80 mm
Ref: 4180


Solape resalte
Ref: 4132




Solape compacto
Ref: 4133




Unión de marcos
Ref: 8111




Vierteaguas
Ref: 4350




Travesaño zocalo
Ref: 4607




HUECO 13 mm



Junquillo recto
Ref: 4101




Junquillo recto
Ref: 4108




Junquillo curvo c.grapa
Ref: 4118


HUECO 10.5 mm



Junquillo recto
Ref: 4103




Junquillo curvo
Ref: 4123




Junquillo curvo c.grapa
Ref: 4113

HUECO 20.5 mm


HUECO 24.5 mm




Junquillo recto
Ref: 4104




Junquillo curvo
Ref: 4124




Junquillo curvo c.grapa
Ref: 4114




Junquillo zócalo
Ref: 4107



Junquillo recto
Ref: 4105




Junquillo curvo
Ref: 4125



Junquillo curvo c.grapa
Ref: 4115



HUECO 28 mm

HUECO 33 mm




Junquillo curvo c.grapa
Ref: 4116


DETALLE COLOCACION TAPON INGLETE



DETALLE PERFIL INVERSOR




ALZADO




* Las referencias de las hojas se invierten en apertura exterior-interior

SECCION HORIZONTAL PUERTA COPLANAR



SECCION HORIZONTAL PUERTA VAIVEN



ESQUEMAS COLOCACION DE BISAGRAS SEGUN EL USO DE LAS PUERTAS CONSIDERANDO UNA PUERTA DE 2m. x 1m.		A00440	A00511
PUERTAS PARA USO PRIVADO			
PUERTAS PARA USO PUBLICO			
PUERTAS CON DIPOSITIVO DE CIERRE			
MEDIDAS ACONSEJABLES PARA COLOCACION DE LAS BISAGRAS			